

hash code

More pizza

Hash Code practice problem

Problem description

You are organizing a Hash Code hub and want to order pizza for participants. Luckily, there is a nearby pizzeria with really good pizza.

The pizzeria has different types of pizza, and to keep the food offering interesting, we can only order **at most one pizza of each type**. Fortunately, there are many types of pizza to choose from!

Each type of pizza has a specified size: the size is the number of pizza slices in it.

Based on the number of participants, you estimated a maximum number of slices that you want to order – in order to reduce waste, the goal is to order **as many pizza slices as possible**, but **not more than the maximum number**.

Input data set

File format

Each input data set is provided in a plain text file containing exclusively ASCII characters with lines terminated with a single '\n' character (UNIX-style line endings). When a single line contains multiple elements, they are separated by single spaces.

The first line of the data set contains the following data:


- an integer M ($1 \leq M \leq 10^9$) – the maximum number of pizza slices to order
- an integer N ($1 \leq N \leq 10^5$) – the number of different types of pizza

The second line contains N integers: the number of slices in each type of pizza, in non-decreasing order:


- $1 \leq S_0 \leq S_1 \leq \dots \leq S_{N-1} \leq M$

Example


Input file	Description
17 4 2 5 6 8	17 slices maximum, 4 different types of pizza type 0 has 2 slices, type 1 has 5 , type 2 has 6 , and type 3 has 8 slices




S_0 (2 slices)



S_1 (5 slices)



S_2 (6 slices)



S_3 (8 slices)

Submissions

File format

The output should contain two lines:

- The first line should contain a single integer K ($0 \leq K \leq N$) – the number of different types of pizza to order.
- The second line should contain K numbers – the types of pizza to order (the types of pizza are numbered from 0 to $N-1$ in the order they are listed in the input).

The total number of slices in the ordered pizzas must be less than or equal to M .

Example

Submission file	Description
3 0 2 3	3 types of pizza ordering pizzas: S_0 , S_2 and S_3

Scoring

The solution gets 1 point for each slice of pizza ordered.

For **example**, above we ordered 3 pizzas: S_0 , S_2 and S_3 . We know that the slices of each of these are 2, 6 and 8 correspondingly.

So the score is: $2+6+8 = \mathbf{16 \text{ points}}$

Note that there are multiple data sets representing separate instances of the problem. The final score for your team will be the sum of your best scores for the individual data sets.